

Air Compressor / Yeti Mount

Product Number: JK2040 For application with Y1261-T TIRE CARRIER

SAFETY

Your safety and the safety of others is very important.

- In order to help you make informed decisions about safety, we have provided installation instructions and other information.
- These instructions alert you to potential hazards that could hurt you or others.
- Please do a job safety analysis (JSA) before each task to identify potential hazards for your situation and remove/protect against them.
- You must use your own good judgment, and take your time.

related hardware.

Read and understand all safety precautions and instructions before installing this product.

THIS PRODUCT IS FOR OFFROAD USE ONLY. ALL LIABILITY FOR INSTALLATION AND USE RESTS WITH THE OWNER.

CARELESS INSTALLATION AND OPERATION CAN RESULT IN SERIOUS INJURY OR EQUIPMENT DAMAGE.

Injury hazard

Failure to observe these instructions could lead to severe injury or death.

11 C	to observe these instructions could lead to severe injury or death.
	Always remove jewelry and wear eye protection. Always use extreme caution when jacking up a vehicle for work. Set emergency
	brake and use tire blocks. Locate and use the vehicle manufacturers designated lifting points. Use icels stands
_	lifting points. Use jack stands.
Ц	Always use appropriate and adequate care in lifting components into place.
	Always insure components will remain secure during installation and operation.
	Always wear safety glasses when installing this kit. A drilling operation will
	cause flying metal chips. Flying chips can cause serious eye injury.
	Always use extreme caution when drilling on a vehicle. Thoroughly inspect the
	area to be drilled (on both sides of material) prior to drilling, and relocate any
	objects that may be damaged.
	Always use extreme caution when cutting and trimming during fitting.
	Always tighten all nuts and bolts securely per installation instructions.
	Always route electrical cables carefully. Avoid moving parts, components that
	become hot and rough or sharp edges.
	Always insulate and protect all exposed wiring and electrical terminals.
	Always perform regular inspections and maintenance on mounts and





Air Compressor / Yeti Mount

Product Number: JK2040 For application with Y1261-T TIRE CARRIER

Overview

Congratulations on your new purchase of the Air Compressor / Yeti Mount. This mount was designed to be used in conjunction with the Y1261-T plate tire carrier.

Your Air Compressor / Yeti Mount was designed in 3-D from digitized data, CNC laser cut, fabricated, and powder coated... all in the U.S.A. Enjoy the fit and finish of a quality Air Compressor / Yeti Mountfrom Fab Fours, Inc.

WARNING: This product was designed to be used with the Fab Fours Y1261-T ONLY.





Air Compressor / Yeti Mount

Product Number: JK2040 For application with Y1261-T TIRE CARRIER

I. Tools Required

- 5/8, 11/16" Wrenches and sockets
- Socket wrench and short extension

II. Cooler/Compressor Mount Installation

1. If the tire mount is still attached to your tire carrier, remove it now.




2. Using the provided 7/16 hardware, attach your cooler/compressor mount to the tire carrier.





Air Compressor / Yeti Mount

Product Number: JK2040 For application with Y1261-T TIRE CARRIER



Note: Some older versions of tire carriers may not have the necessary hole to attach the 5^{th} mounting bolt to the tray and cooler mount. This hole must be drilled out using a $\frac{1}{2}$ " drill bit. It is recommend that you center punch the location then removed the cooler mount before drilling.







Air Compressor / Yeti Mount

Product Number: JK2040For application with Y1261-T TIRE CARRIER

III. Example Installation

Note: This is just one example of what can be installed on the cooler/compressor mount. The pictures provided are using the VIAIR 444c with a 2.5 gallon tank.



Figure 1: Air Tank Installation




Figure 2: Pressure Switch, Y Fitting, 1/4" NPT Outlet, and Drain Cock





Air Compressor / Yeti Mount

Product Number: JK2040 For application with Y1261-T TIRE CARRIER




Figure 3: Pressure Gauge Bracket and 6-Port Block




Figure 4: Air Line Routing





Air Compressor / Yeti Mount

Product Number: JK2040 For application with Y1261-T TIRE CARRIER



Figure 5: Compressors




Figure 6: Line Routing From Compressors





Air Compressor / Yeti Mount

Product Number: JK2040 For application with Y1261-T TIRE CARRIER



Figure 7: Relays



Figure 8: With Tray Installed





Air Compressor / Yeti Mount

Product Number: JK2040 For application with Y1261-T TIRE CARRIER

Maintenance/Care

Periodically check and tighten all nuts.
Stripped, fractured, or bent bolts or nuts need to be replaced
Periodically grease the tire carrier pivot.
Periodically check the tension of the latch hook.

